

AMENDMENT TRANSMITTAL LETTERDocket No.
TNW-10002/29Application No.
10/791,948-Conf. #4130Filing Date
March 3, 2004Examiner
T. PatelArt Unit
3772

Applicant(s): Warren S. Taranow

Invention: VACUUM-SECURED ORTHOTIC, PROSTHETIC, AND OTHER BODY WORN DEVICES

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	9	- 20 =	0	x 25.00	0.00
Independent Claims	1	- 3 =	0	x 105.00	0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					0.00

 Large Entity Small Entity No additional fee is required for this amendment. Please charge Deposit Account No. _____ in the amount of \$ _____. A duplicate copy of this sheet is enclosed. A check in the amount of \$ _____ to cover the filing fee is enclosed. Payment by credit card. Form PTO-2038 is attached. The Director is hereby authorized to charge and credit Deposit Account No. 07-1180 as described below. A duplicate copy of this sheet is enclosed. Credit any overpayment. Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.

/John G. Posa/

Dated: February 19, 2008

John G. Posa

Attorney/Agent Reg. No.: 37,424

GIFFORD, KRASS, SPRINKLE, ANDERSON & CITKOWSKI, P.C.
2701 Troy Center Drive, Suite 330
Post Office Box 7021
Troy, Michigan 48007-7021
(734) 913-9300

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Taranow

Serial No.: 10/791,948

Group No.: 3772

Filed: March 3, 2004

Examiner: T. Patel

For: VACUUM-SECURED ORTHOTIC, PROSTHETIC, AND OTHER BODY WORN
DEVICES

AMENDMENT IN RESPONSE TO NON-FINAL OFFICE ACTION

Mail Stop AMENDMENT
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed November 19, 2007, please amend the above-referenced application as follows: